



GROWSCHEDULE



	VEGETATIVE PHASE				GENERATIVE PHASE						
	ROO	ROOTING		1		1			Ш	IV	
DAYS AND WEEKS	D1-5	D6-25	W1	W2	W3	W4	W5	W6	W7	W8	W9
LIGHT HOURS	18	18	12	12	12	12	12	12	12	12	12
	Dosages in ml per 10 L										
CANNA COCO A	29	29	33	33	33	33	33	33	29	29	
CANNA COCO B	29	29	33	33	33	33	33	33	29	29	
CANNA RHIZOTONIC	40	20	20	20	5	5	5	5	5		
CANNAZYM		25	25	25	25	25	25	25	25	25 - 50 [*]	25 - 50
CANNABOOST			20	20	20 - 40 **	20 - 40	20 - 40	20 - 40	20 - 40	20 - 40	20 - 40
CANNA PK 13/14								15			
	m\$/cm										
EC WATER	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4
EC NUTRITION	1.6	1.6	1.8	1.8	1.8	1.8	1.8	2.3	1.6	1.6	
EC TOTAL	2.0	2.0	2.2	2.2	2.2	2.2	2.2	2.7	2.0	2.0	0.4

This cultivation schedule is intended for plants that develop flowers or fruits, starting from a one-week-old cutting or seedling. The duration of each phase may vary depending on the species.

- * Double CANNAZYM dosage to 50 ml/10 L, if substrate is reused.
- ** Increase CANNABOOST to a maximum of 40 ml/10 L through flowering for extra strength.
- *** EC includes the full dose of CANNA PK 13/14 (15 ml/10 L).

Use CANNA Rootplugs for seeds and cuttings.

For a longer growth phase, repeat the recommended dosages from Rooting period II (D6-25). For a longer flowering phase, repeat the recommended dosages from generative Phase I (W3-W5).

Add CANNA PK 13/14 in the period 3-4 weeks before harvest.



